



DIGITAL TIRE GAUGE

Models for all needs and situations



PNT Media Player



We are pioneers and leaders of the tire gauge market



PNT 5 Self Contained



PNT Pay Air



INCLUDED ITEMS:



PNT Media Player

PNT Media Player is the first digital touchscreen tire gauge on the market. This revolutionary model was developed to offer gas stations a new way to advertise ads and commercials through the tire gauge.

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 145 PSI (0.3 to 10 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 1 year

8 " screen in high definition

Aluminum case with electrostatic painting

Real-time video upload

Connectivity: Via wi-fi and telemetry



INCLUDED ITEMS:



Optional: Coil hose

PNT Pay Air

The PNT Pay Air was developed to generate extra revenue for gas stations in order to cover the maintenance costs. This concept originated in the United States and today has become a reality in several countries in Europe and some regions of Brazil.

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 145 PSI (0.3 to 10 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 1 year

1" Display with internal led light

Secure safe box

Steel case with electrostatic painting

Stainless steel keyboard (optional)



PNT 5 SELF CONTAINED TOWER

It has an internal air compressor that works on demand and dispenses the use of oil and external air compressor. This tire gauge eliminates the high cost of installation, maintenance, space.

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 70 PSI (0.3 to 5 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac (by request)

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 1 years

1 " Display with internal and external led light

Steel cabinet with electrostatic painting

Stainless steel keyboard (optional)

INCLUDED ITEMS:





PNT 5

It is the benchmark of the market due to its classic and modern design. This gauge has been sold in more than 20 countries and is the best-selling in the world.

INCLUDED ITEMS:



Optional: Coil hose

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 145 PSI (0.3 to 10 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 2 years

1 " Display with internal and external led light

Stainless steel keyboard (optional)



PNT 5 PEDESTAL

Developed to resist all different kind of weathers, and can be installed in places exposed to rain or extreme high temperatures.

INCLUDED ITEMS:



Optional: Coil hose

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 145 PSI (0.3 to 10 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 2 years

1 " Display with internal and external led light

Steel pedestal with electrostatic painting

Stainless steel keyboard (optional)



PNT 4

It offers the best cost benefit of the market, meeting all the requirements of a quick and precise calibration.

INCLUDED ITEMS:



Optional: Coil hose

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 145 PSI (0.3 to 10 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 2 years

1" Display with internal led light

Stainless steel keyboard (optional)



PNT JUMBO

It is an extra robust tire gauge, super sturdy up to predation attempt, great for heavy environments, with additional hose and electrical protection.

INCLUDED ITEMS:



Optional: Coil hose

TECHNICAL SPECIFICATION

Setting Pressure: 4 to 145 PSI (0.3 to 10 BARS)

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 2 years

1 " Display with internal led light

Aluminum case with electrostatic painting

Stainless steel keyboard (optional)



PNT HIGH FLOW / AEREO

To fulfill all the requirements of the calibration process of large vehicles, this tire gauge is the most powerful of the market. It is recommended to calibrate tires of aircraft, hangars, tractors and among other heavy vehicles.

INCLUDED ITEMS:



TECHNICAL SPECIFICATION

Setting Pressure: 4 to 160 PSI (0.3 to 11 BARS) PNT High Flow: 4 to 300 PSI (0.3 to 20 BARS) PNT Aereo

Precision: 1% FS

Voltage: 110 or 220 Vac

Compatible: Air and nitrogen

IP-54 (water and dust resistant)

Warranty: 1 year

1" Display with internal led light

Stainless steel keyboard (optional)



Excel Produtos Eletrônicos

Rua Antonieta, 29 São Paulo, SP – Brasil +55 (11) 3858-7724 sales@excelbr.com.br www.excelbr.com.br





Website

Institutional video